I am currently working on the navigation of my homepage. I'm using the bootstrap MEGA-MENU.


The data comesfrom a DBF file.

I edited the source code with Harbourino. I now have a very simple source

code.

Clip1.jpg

```
 4
 5   static hHash_MENU, aRelationship_MENU
 6
 7   function main
 8     aRelationship_MENU := {}
 9     hHash_MENU := {=>}
10     use ( hb_GetEnv( "PRGPATH" ) + "\data\menus.dbf" ) new
11     do while .not. eof()
12       AADD( aRelationship_MENU, ( "REC" + "_" + ALLTRIM( STR( recno() ) )  )  )
13       $-> RECORD2HASH_ENTRIES   : Hash=hHash_MENU ;Index=aRelationship_MENU ;Key=MENUCOL
14       $-> RECORD2HASH_ENTRIES   : Hash=hHash_MENU ;Index=aRelationship_MENU ;Key=ORDER
15       $-> RECORD2HASH_ENTRIES   : Hash=hHash_MENU ;Index=aRelationship_MENU ;Key=KATEGORIE
16       $-> RECORD2HASH_ENTRIES   : Hash=hHash_MENU ;Index=aRelationship_MENU ;Key=TEXT
17       $-> RECORD2HASH_ENTRIES   : Hash=hHash_MENU ;Index=aRelationship_MENU ;Key=LINK
18       $-> RECORD2HASH_ENTRIES   : Hash=hHash_MENU ;Index=aRelationship_MENU ;Key=STATUS
19       $-> RECORD2HASH_ENTRIES   : Hash=hHash_MENU ;Index=aRelationship_MENU ;Key=NOTIZ
20       select menus
21       skip
22     enddo
23     select menus
24     use
25
26     TEMPLATE PARAMS hHash_MENU
27     <!DOCTYPE html>
28     <html>
29     -> HEAD
30     <body>
31
32     -> HEADER
33     |- -> TESTIMONIALS
34     -> CAROUSEL
35     -> ADVANTAGES
36     -> PRODUCT_SLIDESHOW
37     -> GET_INSPIRED
38     -> BLOG_HOMEPAGE
39     -> FOOTER
40     -> COPYRIGHT
41     -> JAVASCRIPT FILES
42
43     </body>
44     </html>
```

Clip2.jpg

: > www > htdocs > template_megamenu > MEGAMENU > source >

```
 1   <!-- HARBOURINO HEADER -->
 2   <header class="header mb-5">
 3
 4      -> TOPBAR
 5
 6     -> NAVBAR_MEGAMENU
 7
 8     |- -> SEARCHBUTTON
 9
10   </header>
11
```

Clip3.jpg

```
 1   <!-- HARBOURINO MENU_MEN -->
 2   |- max. 4
 3
 4   -> MEGAMENU_START
 5
 6     -> MENUEUEBERSCHRIFT_START
 7     |   -> MENUEPUNKTE
 8     -> MENUEUEBERSCHRIFT_ENDE
 9
10   -> MEGAMENU_ENDE
11
12
```

The javascript and HTML parts are in small individual files.

```javascript
<!-- HARBOURINO MENUEPUNKTE -->
document.write( '<div class="row">' );

  cKey = aIdxKeyMenu[ 1 ];
  document.write( '<ul class="list-unstyled mb-3">' );

    aIdxKeyMenu.forEach( myKeys );

    function myKeys( item, index ) {
      cKey = aIdxKeyMenu[ index  ];

      if ( object[ cKey.trim() + '_MENUCOL' ] == i.toString() ) {
        if ( object[ cKey.trim() + '_STATUS' ] == 'CAPTION' ) {
          document.write( '</ul>' );
          document.write( '</div>' );

          document.write( '<div class="col-md-6 col-lg-3">' );
            document.write( '<h5>' + object[  cKey.trim() + '_KATEGORIE' ] + '</h5>' );
            document.write( '<ul class="list-unstyled mb-3">' );
        }

        document.write( '<li class="nav-item">' );
          document.write( '<a href="category.html" class="nav-link">' + object[ cKey.trim

      } ;

    } ;

  document.write( '</ul>' );
  document.write( '</div>' );
```